

mAn

MINIFREAL - 0013

30 CM (12") AIR CIRCULATING FAN

USER MANUAL



INDEX

1.	General Information	1
2.	Fan Components	1
3.	Basic Operation	2
4.	Assembly Instructions	2
5.	Maintenance and Cleaning	2
6.	Wall Mounting	3
7.	Safety Precautions and Warnings	4
8.	Limited Warranty	5

***Read these instructions carefully before operating your fan and keep them for future reference.**

***The images shown in this manual are for illustrative purposes only.**

High quality for your home!

For sale at:



Mexico



United States



Spain



Honduras



Guatemala



El Salvador



Colombia

This manual applies to the following model:

Model

MINIFREAL-0013



Front metal protective guard.



Polypropylene plastic blade, 30 cm (12")



Rotary switch, 3 speeds



Airflow: 60 m³/min



Multi-angle adjustable direction

2 IN 1 Floor / Wall



Height: 44.5 cm



Width: 46 cm



Depth: 22.2 cm




GENERAL INFORMATION

Thank you for purchasing the MINIFREAL-0013 air circulator fan by MAN. This device is designed to provide efficient and comfortable ventilation for your home.

TECHNICAL SPECIFICATIONS

PARAMETER	VALUE
Model	MINIFREAL-0013
Brand	MAN
Voltage	120 V ~ 60 Hz
Power	60 W
Control	Rotary switch
Airflow	60 m ³ / min
Material	Polypropylene
Speed levels: 3 (low, medium, high)	

FAN COMPONENTS



- A) Front metal grill.
- B) Fan base.
- C) Speed control.
- D) Tilt adjustment knobs.
- E) Power cord.

BASIC OPERATION

1

The speed selector is located at the back of the appliance. The knob includes: 0 (off), 1, 2, 3 (speed levels). **(See item A)**

2

Connect the power plug into an electrical outlet.

3

Adjust airflow direction by slightly loosening the side knobs, selecting the desired angle, then tightening firmly. **(See item B)**

4

The fan features a 3-speed selector. Speed 3 is the highest, decreasing power at 2 and 1.

5

Disconnect the unit before moving it to another location.

A)



B)



ASSEMBLY INSTRUCTIONS

1. Carefully unpack the fan from the box.
2. Place the fan base on the floor, loosen the knob, and select the desired tilt angle. **(See item A)**
3. Tighten the knob. Your fan is now ready for operation.

A)



MAINTENANCE AND CLEANING

1. Disconnect the power plug before cleaning. Use a cloth dampened with mild soap. **(See item A)** Do not use abrasive materials.
2. Never use solvents such as alcohol, gasoline, or aerosol they can damage the fan's parts. **(See item B)**
3. Do not add oil to the motor; it has a permanent lubrication system.
4. For fan repairs, please contact an authorized service center to receive specialized technical assistance.

A)



B)



WALL MOUNTING

1. Verify that you have a solid, vertical, and flat wall.
2. Make sure there is enough free space for installing the appliance and that there are no objects or materials nearby that could come into contact with it or become tangled.
3. For installation, you will need two anchor screws with a minimum length of 1 inch (2.54 cm), a maximum thickness of 3/16 inch (5 mm), and two wall anchors. When installed, the distance between the screw head and the wall must be at least 12 mm and no more than 20 mm. **(See item A)**
4. For concrete walls, steel anchor screws are recommended.
5. Place the fan's base against the wall and use a pencil to mark the holes located on the base. **(See item B)**
Using a drill bit, drill the marked points. The drill bit's diameter and depth must match the size of the wall anchors you will be using.
6. Insert the wooden or plastic wall anchors into the holes previously drilled in the wall.
7. Place the fan's base in the position where the wall anchors were installed and make sure the power cord is not trapped. Align the fan with the screws and secure it in place.
8. Now place your MAN fan by aligning the holes on the base with the heads of the screws.
9. Verify that the appliance is firmly secured to the wall.
10. Your MAN fan is now ready for operation. **(See item C)**

Note: Tools, anchors, and screws are not included. Requirements vary depending on wall type consult a qualified technician.

A)**B)****C)**

SAFETY PRECAUTIONS AND WARNINGS



1. This fan is for indoor use only.
2. Place the appliance on a flat, stable surface.
3. Do not use the fan without its blade grilles properly installed.
4. Keep the fan away from curtains and other objects to avoid damage.
5. Do not use this product in areas where gasoline, paint or other flammable goods and materials are used or stored.
6. Do not cover the air inlet or outlet of the appliance.
7. When the appliance is not in use, store it in a dry area away from direct sunlight, extreme temperatures, humidity and other harsh environments.
8. Do not insert objects into the grille or blade area.
9. Do not touch the fan blade while it is moving.
10. Keep hot objects away from the fan.
11. Always tighten the knobs once you have set the desired airflow angle.
12. Use authorized service centers for any servicing.
13. Children should be supervised to ensure that they do not play with the appliance.
14. This appliance should not be used by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction.
15. Never immerse the fan in water or any other liquids.
16. Do not use the appliance in standing water.
17. Do not touch the appliance or plug with wet hands or while standing in water.
18. Be careful not to trip over the power cord.
19. When unplugging, hold and pull the plug, not the cord.
20. Unplug the power cord from the outlet before cleaning the appliance.
21. Do not place the cord under carpeting. Do not cover the cord with rugs, runners or similar coverings, and do not route it under furniture or appliances. Arrange the cord away from traffic areas so that it will not be tripped over.
22. To reduce the risk of fire or electric shock, do not use this appliance with any solid-state speed control device.
23. Never use the fan with a damaged power cord.
24. If the power cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified personnel in order to avoid a hazard.

LIMITED WARRANTY

WARRANTY POLICY

Industrias Man de México, S.A. de C.V. guarantees this product for a period of **one year from the date of purchase for manufacturing and operational defects**. This warranty includes free repair or replacement of the product, as well as necessary parts, labor, and diagnostics.

The product may be repaired by the manufacturer during and after the warranty period.

Warranty procedure:

To claim the warranty, **completely free** of charge, customers have two options:

1. **Go directly to the point of sale**, presenting the product along with the **invoice, receipt, or proof of purchase**.
2. **Request service online by visiting:**

<https://manindustries.us/policies/terms-of-service>

There, you must complete the **warranty form**. One of our technicians will assist you shortly.

SCOPE OF WARRANTY

Industrias Man de México, S.A. de C.V. undertakes to replace any defective part or component free of charge to the consumer. This warranty also covers transportation costs associated with service delivery, provided that service is provided within our authorized service network.

WARRANTY EXCLUSIONS

This warranty will not be valid in the following cases:

- If the product was used under conditions other than those specified as normal.
- If the instructions in the included user manual were not followed.
- If the product was altered or repaired by persons not authorized by the manufacturer, importer, or responsible distributor.

This warranty is valid only with proof of purchase.

Manufactured and/or marketed by: Industrias Man de México, S.A. de C.V.

Made in Mexico



Man Industries

Physical and warranty address:

MAN INDUSTRIES USA, LLC,
10685B Hazelhurst Drive, #
40865 Houston TX 77043,
United States

CUSTOMER SERVICE

Telephone: 6024789026

Warranty address valid only for
sales within the United States.

Manufactured and/or marketed
by: Industrias Man de México, S.A.
de C.V.

Made in Mexico

More about us:



manindustries



manindustries_

www.manindustries.us



At **mAn**® we have products
certified by **FC** and **CE**.

